Index

IEE Proceedings
Electric Power Applications
Vol. 146, 1999

Author Index

A

Agelidis, V.G. p524
Al-Mothafar, M.R.D. p607
Al-Tayie, J.K. p585
Alexa, D. p88
Arrillaga, J. p335
Atkinson, D.J. p597
Attaianese, C. p391

B

Baker, D.M. p524
Barrass, P. p539
Bathurst, G.N. p335
Beduz, C. p41
Benhama, A. p25
Benitez-Read, J.S. p637
Besbes, M. p463
Bhattacharya, T.K. p667
Boldea, I. p139
Bouillevaux, J. p350
Bowes, S.R. p495, p695
Boys, J. p441
Bremner, J.J. p129
Brillante, S. p53, p60, p647

C

Cade, M. p539
Camus, F. p463
Chang, C.S. p75, p81, p559, p570, p577
Chang, S.C. p163
Chatterjee, K. p325
Chen, C.-L. p433
Chen, H.C. p678
Chen, T.H. p317, p515
Chertkov, M. p361
Choi, J.-H. p201
Chung, H. p247, p407
Conde-Enriquez, J. p637
Corda, J. p585
Cross, A.M. p620

D

Dawson, F.P. p309
Dawson, W.R.C. p627
De Souza, C.R. p60
Du, D. p559
Duan, R.-Y. p479
Dubey, G.K. p325
Duran-Gomez, J.L. p637

E

Edwards, J.D. p627
Elangovan, S. p81
Ellis, I.K. p447
Enslin, J.H.R. p591
Evans, P.D. p620
Evans, S.A. p11

F

Fernandes, B.G. p325
Forsyth, A.J. p447, p620
Franceschetti, N.N. p552

G

Gabsi, M. p463
Garcia Soto, G. p282
Goddard, K.F. p41
Gow, J.A. p193
Grewal, S. p495, p695
Gribble, J.J. p2
Grossen, T. p591

H

Hammad, K.A. p607
Hanitsch, R. p488
Harris, M.R. p41
Hill, R.J. p53, p60, p350, p647
Hirachi, K. p253
Ho, W.C. p95
Ho, Y.K.E. p407
Hoeijmakers, M.J. p261
Hong, C.-M. p479
Hopfensperger, B. p597
Hu, L. p103
Huang, F. p661
Hui, S.Y.R. p247, p407

I

Ioannidis, G.C. p237
Ishizaki, K. p707
Itoh, R. p707
Iwahara, M. p33, p309

J

Janda, Z. p545
Jayawant, B.V. p627
Jeong, G.-Y. p117, p632
Jiang, W.Q. p81
Johnson, C.M. p147, p155

K

Kettleborough, J.G. p11
Kim, J.-H. p117
Kjaer, P.C. p2
Komurcugil, H. p123
Kukrer, O. p123
Kwon, B.-H. p117, p201, p225, p632

L

Lai, Y.S. p163, p289
Lakin, R.A. p597
Leonard, P.J. p53, p60, p647
Levi, E. p685
Li, L. p378
Liaw, C.M. p317, p515, p678
Lim, J.-W. p632
Lin, B.-R. p397
Lin, F.-J. p173, p297, p471, p479
Lin, W.L. p317
Lin, Y.-S. p173
Low, J.S. p75
Lu, H.-H. p397
Luo, F.L. p208, p415

M

Manias, S.N. p237
Manning, C.D. p193
Mao, J. p378
Marjanovic, S. p383
Marques, G.D. p17
McGilp, M.I. p129
Mendes, E. p282
Meng, C.W. p524
Menzel, E. p591
Miller, T.J.E. p2, p129
Min, B.-D. p225
Mitchell, B. p441
Moller, M. p447
Moon, G.-W. p111
Morrison, R.E. p103
Mukhopadhyay, S.C. p33, p309
Multon, B. p457

N

Nakaoka, M. p253, p530
Narayanan, G. p267, p276
Nasar, S.A. p139
Nayar, C.V. p524
Nedelchev, N. p69
Newton, C. p341

O

Ohji, T. p33
Oishi, H. p707
Okada, H. p707

P

Pacheco-Sotelo, J.O. p637
Panda, S.K. p369
Pejovic, P. p545
Perfetto, A. p391
Petrovic, P. p383
Pickert, V. p147, p155
Polinder, H. p261
Pollock, H. p187
Pong, M.H. p95
Poon, N.K. p95

Q

Quek, H.B. p577

R

Ranganathan, G. p231
Ranganathan, V.T. p267, p276
Razek, A. p282
Reece, A.B.J. p25
Rolim, L.G.B. p488

S

Sahoo, N.C. p369
Sengupta, M. p667
Seok, K.-W. p632
Shenkman, A. p361
Shyu, K.-K. p173, p471
Simoes, M.G. p552
Slater, P. p585
Smith, B.C. p335
Smith, I.R. p11
Soulard, J. p457
Srinivasan, D. p75
Staton, D.A. p129
Stevanovic, M. p383
Stoll, R.L. p41
Suemitsu, W.I. p488
Sumner, M. p341
Sun, J. p530
Sykulski, J.K. p41

T

Takano, H. p530
Tian, L.F. p570
Tomasso, G. p391
Tseng, C.-J. p433

U

Umanand, L. p231

V

Venkataratnam, K. p667
Vukosavic, S.N. p685

W

Wai, R.-J. p297, p471, p479
Wang, C. p139
Watanabe, E.H. p488
Watson, N.R. p335
Williamson, A.C. p25
Wright, D.T. p627

X

Xu, D.Y. p577
Xu, J.X. p369

Y

Yamada, S. p33, p309
Yang, Y. p41
Youm, J.-H. p201, p225, p632

AC MACHINES

Design, analysis and control of a new repulsive-type magnetic bearing system p33
Eddy-current losses in the segmented surface-mounted magnets of a PM machine p261
Maximum power limits of small single-phase permanent magnet drives p457
Multilevel AC/DC/AC converter for AC drives p397
New random inverter control technique for common mode voltage mitigation of motor drives p289
Novel PFC converter suitable for engine-driven generator-interactive three-phase power systems p253
PWM rectifier using indirect voltage sensing p539
Synchronised PWM strategies based on space vector approach. II. Performance assessment and application to V/f drives p276
Three-phase flux reversal machine (FRM) p139
Three-phase soft-switching voltage source converters for motor drives. II. Fundamental limitations and critical assessment p155

ADAPTIVE CONTROL

Adaptive control of a high-frequency DC-DC converter by parameter scheduling p447
Sensorless control via intelligent commutation tuning for brushless DC motor p678
Three-level hysteresis band modulation strategy for single-phase PWM inverters p695
Variable structure adaptive control for PM synchronous servo motor drive p173

ASYNCHRONOUS MACHINES

DSP-based implementation of new random switching technique of inverter control for sensorless vector-controlled induction motor drives p163
DSP-based minmax speed sensorless induction motor drive with sliding mode model-following speed controller p471
Fuzzy neural network sliding-mode position controller for induction servo motor drive p297
Heat conditions of a three-phase induction motor by a one-phase supply p361
Identification of the magnetising curve during commissioning of a rotor flux oriented induction machine p685
Numerical simulation method for the slip power recovery system p17
Reduced-order observers for rotor flux, rotor resistance and speed estimation for vector controlled induction motor drives using the extended Kalman filter technique p282
Stator flux oriented control of a cascaded doubly-fed induction machine p597

BIOMEDICAL ENGINEERING

Series and parallel transformer resonant DC-DC converter using optimal digital servo and repetitive learning control schemes p530

CABLES AND OVERHEAD LINES

Electrical material data for railway track transmission line parameter studies p60
Electromagnetic field modelling for transmission line distributed parameters of railway track p53
Force and torque computation from 2-D and 3-D finite element field solutions p25

CIRCUIT THEORY AND DESIGN

Development of a photovoltaic array model for use in power-electronics simulation studies p193
Modular single-stage, three-phase full-bridge converter with inherent power factor correction and isolated output p407

CODES AND DECODING

Safety and reliability of comma-free digital coding for railway track circuits p350

CONTROL APPLICATIONS

Further improvement of optimisation method for mass transit signalling block-layout design using differential evolution p559
Jointless track circuit length [for electric railway signalling] p69

CONTROL EQUIPMENT

Feedback linearisation of magnetic bearing actuators for a uniform upper bound of force slew rate p378
Force and torque computation from 2-D and 3-D finite element field solutions p25
Series and parallel transformer resonant DC-DC converter using optimal digital servo and repetitive learning control schemes p530
Static and dynamic analysis of a permanent magnet rectilinear Laws' relay actuator p11

CONTROL SYSTEM ANALYSIS

DSP-based minmax speed sensorless induction motor drive with sliding mode model-following speed controller p471
Further improvement of optimisation method for mass transit signalling block-layout design using differential evolution p559
Fuzzy neural network sliding-mode position controller for induction servo motor drive p297
Fuzzy optimisation based control of a solar array system p552
Identification of the magnetising curve during commissioning of a rotor flux oriented induction machine p685
Pareto-optimal set based multiobjective tuning of fuzzy automatic train operation for mass transit system p577
Reduced-order observers for rotor flux, rotor resistance and speed estimation for vector controlled induction motor drives using the extended Kalman filter technique p282
Robust position control of DC drives by means of H_∞ controllers p391
Sensorless control via intelligent commutation tuning for brushless DC motor p678
Series and parallel transformer resonant DC-DC converter using optimal digital servo and repetitive learning control schemes p530
Single-phase buck rectifier employing voltage reversal circuit for sinusoidal input current waveshaping p707
Theory, performance prediction and indirect sensing of rotor position of a switched reluctance motor under saturation p667
Three-level hysteresis band modulation strategy for single-phase PWM inverters p695
Variable structure adaptive control for PM synchronous servo motor drive p173

CONTROL SYSTEM STABILITY

Design, analysis and control of a new repulsive-type magnetic bearing system p33
DSP-based minmax speed sensorless induction motor drive with sliding mode model-following speed controller p471
Fuzzy neural network sliding-mode position controller for induction servo motor drive p297
Fuzzy optimisation based control of a solar array system p552
H_∞ loop-shaping control schemes for the buck converter and their evaluation using μ-analysis p237
Robust position control of DC drives by means of H_∞ controllers p391
Variable structure adaptive control for PM synchronous servo motor drive p173

CONTROL SYSTEM SYNTHESIS

DSP-based minmax speed sensorless induction motor drive with sliding mode model-following speed controller p471
Further improvement of optimisation method for mass transit signalling block-layout design using differential evolution p559
Fuzzy neural network sliding-mode position controller for induction servo motor drive p297
Fuzzy optimisation based control of a solar array system p552
Pareto-optimal set based multiobjective tuning of fuzzy automatic train operation for mass transit system p577
Robust position control of DC drives by means of H_∞ controllers p391
Sensorless control via intelligent commutation tuning for brushless DC motor p678
Series and parallel transformer resonant DC-DC converter using optimal digital servo and repetitive learning control schemes p530
Single-phase buck rectifier employing voltage reversal circuit for sinusoidal input current waveshaping p707
Three-level hysteresis band modulation strategy for single-phase PWM inverters p695
Variable structure adaptive control for PM synchronous servo motor drive p173

DC MACHINES

Calculation of inductance in permanent-magnet DC motors p129
Design, analysis and control of a new repulsive-type magnetic bearing system p33
Maximum power limits of small single-phase permanent magnet drives p457
New random inverter control technique for common mode voltage mitigation of motor drives p289
Robust position control of DC drives by means of H_∞ controllers p391
Sensorless control via intelligent commutation tuning for brushless DC motor p678
Three-phase soft-switching voltage source converters for motor drives. II. Fundamental limitations and critical assessment p155

DRIVES

Contactless linear position transducer based on reluctance variation p585
Development of an improved switched reluctance motor drive using a soft-switching converter p488
DSP-based implementation of new random switching technique of inverter control for sensorless vector-controlled induction motor drives p163
DSP-based minmax speed sensorless induction motor drive with sliding mode model-following speed controller p471
Fuzzy neural network sliding-mode position controller for induction servo motor drive p297
LLCC resonant inverter for piezoelectric ultrasonic motor drive p479
Maximum power limits of small single-phase permanent magnet drives p457
Multilevel AC/DC/AC converter for AC drives p397
New random inverter control technique for common mode voltage mitigation of motor drives p289
PWM rectifier using indirect voltage sensing p539
Reduced-order observers for rotor flux, rotor resistance and speed estimation for vector controlled induction motor drives using the extended Kalman filter technique p282
Robust position control of DC drives by means of H_∞ controllers p391
Synchronised PWM strategies based on space vector approach. II. Performance assessment and application to V/f drives p276
Three-phase soft-switching voltage source converters for motor drives. II. Fundamental limitations and critical assessment p155
Variable structure adaptive control for PM synchronous servo motor drive p173

ELECTRIC MACHINES

Contactless linear position transducer based on reluctance variation p585
LLCC resonant inverter for piezoelectric ultrasonic motor drive p479
Maximum power limits of small single-phase permanent magnet drives p457
Permanent-magnet linear eddy-current brake with a nonmagnetic reaction plate p627
Static and dynamic analysis of a permanent magnet rectilinear Laws' relay actuator p11
Variable structure adaptive control for PM synchronous servo motor drive p173

ELECTROMAGNETIC COMPATIBILITY

Integrating the digital time control algorithm with DC-bus "notching" circuit based soft-switched inverter p524
Safety and reliability of comma-free digital coding for railway track circuits p350
Three-phase buck active rectifier with power factor correction and low EMI p591

ELECTROMAGNETIC FIELDS

Computation and measurement of magnetically induced vibrations of a switched reluctance machine p463
Electrical material data for railway track transmission line parameter studies p60
Electromagnetic field modelling for transmission line distributed parameters of railway track p53
Force and torque computation from 2-D and 3-D finite element field solutions p25
Identification of the magnetising curve during commissioning of a rotor flux oriented induction machine p685
Railway track transmission line parameters from finite element field modelling: series impedance p647

ELECTROMAGNETIC INTERFERENCE

Integrating the digital time control algorithm with DC-bus "notching" circuit based soft-switched inverter p524
Safety and reliability of comma-free digital coding for railway track circuits p350
Three-phase buck active rectifier with power factor correction and low EMI p591

ELECTROMAGNETISM

Design, analysis and control of a new repulsive-type magnetic bearing system p33
Eddy-current losses in the segmented surface-mounted magnets of a PM machine p261
Feedback linearisation of magnetic bearing actuators for a uniform upper bound of force slew rate p378
Soft-switching inverter for electrodynamic shaker p515

ELECTRIC VARIABLES CONTROL

Adaptive control of a high-frequency DC-DC converter by parameter scheduling p447
Automatic voltage regulator with fast dynamic speed p201
Deadbeat control method for single-phase UPS inverters with compensation of computation delay p123
Design, analysis and control of a new repulsive-type magnetic bearing system p33
Dynamic modelling and control of a step up/down switching-mode rectifier p317
Feedback linearisation of magnetic bearing actuators for a uniform upper bound of force slew rate p378
H_∞ loop-shaping control schemes for the buck converter and their evaluation using μ-analysis p237
Integrating the digital time control algorithm with DC-bus "notching" circuit based soft-switched inverter p524
New random inverter control technique for common mode voltage mitigation of motor drives p289
Novel PFC converter suitable for engine-driven generator-interactive three-phase power systems p253
Novel single-stage, single-switch, AC/DC converter with magnetic energy feedback technique for power factor correction p111
Novel technique for maintaining balanced internal DC link voltages in diode clamped five-level inverters p341
Optimal commutation in average torque control of switched reluctance motors p2
Single-phase buck rectifier employing voltage reversal circuit for sinusoidal input current waveshaping p707
Small-signal modelling of peak current-mode controlled buck-derived circuits p607
Stator flux oriented control of a cascaded doubly-fed induction machine p597
SVM-based hysteresis current controller for three-phase PWM rectifier p225
Three-level hysteresis band modulation strategy for single-phase PWM inverters p695
Three-phase buck active rectifier with power factor correction and low EMI p591
Three-phase PWM synchronous rectifiers without line-voltage sensors p632

ENERGY CONVERSION

Development of a photovoltaic array model for use in power-electronics simulation studies p193
Dynamic modelling and control of a step up/down switching-mode rectifier p317
Fuzzy optimisation based control of a solar array system p552

ENGINEERING COMPUTING

Adaptive control of a high-frequency DC-DC converter by parameter scheduling p447
DSP-based implementation of new random switching technique of inverter control for sensorless vector-controlled induction motor drives p163
Fuzzy optimisation based control of a solar array system p552
Reduced-order observers for rotor flux, rotor resistance and speed estimation for vector controlled induction motor drives using the extended Kalman filter technique p282
Robust position control of DC drives by means of H_∞ controllers p391
Safety and reliability of comma-free digital coding for railway track circuits p350

FEEDBACK

Feedback linearisation of magnetic bearing actuators for a uniform upper bound of force slew rate p378
Novel single-stage, single-switch, AC/DC converter with magnetic energy feedback technique for power factor correction p111

FUZZY CONTROL

Fuzzy optimisation based control of a solar array system p552
Pareto-optimal set based multiobjective tuning of fuzzy automatic train operation for mass transit system p577

INSTRUMENTATION AND MEASUREMENT

Series and parallel transformer resonant DC-DC converter using optimal digital servo and repetitive learning control schemes p530

INSULATED GATE FIELD EFFECT TRANSISTORS

Comparisons of zero-voltage-transition Cuk converters p433
Series and parallel transformer resonant DC-DC converter using optimal digital servo and repetitive learning control schemes p530
Single-phase buck rectifier employing voltage reversal circuit for sinusoidal input current waveshaping p707

MAGNETIC MATERIALS AND DEVICES

Analysis, design and experimental results for a passive current limiting device p309
Contactless linear position transducer based on reluctance variation p585
Design, analysis and control of a new repulsive-type magnetic bearing system p33
Eddy-current losses in the segmented surface-mounted magnets of a PM machine p261
Feedback linearisation of magnetic bearing actuators for a uniform upper bound of force slew rate p378
Permanent-magnet linear eddy-current brake with a nonmagnetic reaction plate p627
Static and dynamic analysis of a permanent magnet rectilinear Laws' relay actuator p11

MATHEMATICAL TECHNIQUES

AC side equivalent circuit-based method for harmonic analysis of a converter system p103
Application of tabu search in optimal system design and operation of MRT power supply systems p75
Force and torque computation from 2-D and 3-D finite element field solutions p25
Harmonic domain modelling of high-pulse converters p335
Static and dynamic analysis of a permanent magnet rectilinear Laws' relay actuator p11

MEASUREMENT OF SPECIFIC VARIABLES

Contactless linear position transducer based on reluctance variation p585
Digital method for power frequency measurement using synchronous sampling p383
PWM rectifier using indirect voltage sensing p539
Theory, performance prediction and indirect sensing of rotor position of a switched reluctance motor under saturation p667

MICROPROCESSORS

Adaptive control of a high-frequency DC-DC converter by parameter scheduling p447
DSP-based implementation of new random switching technique of inverter control for sensorless vector-controlled induction motor drives p163
Three-phase buck active rectifier with power factor correction and low EMI p591

MULTIVARIABLE CONTROL SYSTEMS

DSP-based minmax speed sensorless induction motor drive with sliding mode model-following speed controller p471
Fuzzy neural network sliding-mode position controller for induction servo motor drive p297
Variable structure adaptive control for PM synchronous servo motor drive p173

NEURAL NETWORKS

Fuzzy neural network sliding-mode position controller for induction servo motor drive p297

NONELECTRIC VARIABLES CONTROL

DSP-based minmax speed sensorless induction motor drive with sliding mode model-following speed controller p471
Feedback linearisation of magnetic bearing actuators for a uniform upper bound of force slew rate p378
Fuzzy neural network sliding-mode position controller for induction servo motor drive p297
Optimal commutation in average torque control of switched reluctance motors p2
Reduced-order observers for rotor flux, rotor resistance and speed estimation for vector controlled induction motor drives using the extended Kalman filter technique p282
Robust position control of DC drives by means of H_∞ controllers p391
Sensorless control via intelligent commutation tuning for brushless DC motor p678
Stator flux oriented control of a cascaded doubly-fed induction machine p597
Theory, performance prediction and indirect sensing of rotor position of a switched reluctance motor under saturation p667
Variable structure adaptive control for PM synchronous servo motor drive p173

NONLINEAR CONTROL SYSTEMS

Feedback linearisation of magnetic bearing actuators for a uniform upper bound of force slew rate p378

NUMERICAL ANALYSIS

Calculation of inductance in permanent-magnet DC motors p129
Design, analysis and control of a new repulsive-type magnetic bearing system p33
Determination of current waveforms for torque ripple minimisation in switched reluctance motors using iterative learning: an investigation p369
Electromagnetic field modelling for transmission line distributed parameters of railway track p53
Force and torque computation from 2-D and 3-D finite element field solutions p25
Harmonic domain modelling of high-pulse converters p335
Identification of the magnetising curve during commissioning of a rotor flux oriented induction machine p685
Permanent-magnet linear eddy-current brake with a nonmagnetic reaction plate p627
Railway track transmission line parameters from finite element field modelling: series impedance p647
Static and dynamic analysis of a permanent magnet rectilinear Laws' relay actuator p11

Three-phase flux reversal machine (FRM) p139

OPTIMAL CONTROL

Further improvement of optimisation method for mass transit signalling block-layout design using differential evolution p559
Fuzzy optimisation based control of a solar array system p552
H∞ loop-shaping control schemes for the buck converter and their evaluation using μ-analysis p237
Pareto-optimal set based multiobjective tuning of fuzzy automatic train operation for mass transit system p577
Robust position control of DC drives by means of H∞ controllers p391
Series and parallel transformer resonant DC-DC converter using optimal digital servo and repetitive learning control schemes p530

OPTIMISATION

Application of genetic algorithms to determine worst-case switching overvoltage of MRT systems p81
Application of tabu search in optimal system design and operation of MRT power supply systems p75
Further improvement of optimisation method for mass transit signalling block-layout design using differential evolution p559
Worst-case identification of touch voltage and stray current of DC railway system using genetic algorithm p570

PARAMETER ESTIMATION

DSP-based minmax speed sensorless induction motor drive with sliding mode model-following speed controller p471
Reduced-order observers for rotor flux, rotor resistance and speed estimation for vector controlled induction motor drives using the extended Kalman filter technique p282
Sensorless control via intelligent commutation tuning for brushless DC motor p678
Theory, performance prediction and indirect sensing of rotor position of a switched reluctance motor under saturation p667

POWER CONVERTERS

AC side equivalent circuit-based method for harmonic analysis of a converter system p103
Adaptive control of a high-frequency DC-DC converter by parameter scheduling p447
Automatic voltage regulator with fast dynamic speed p201
Combined filtering system consisting of passive filter with capacitors in parallel with diodes and low-power inverter p88
Comparisons of zero-voltage-transition Cuk converters p433
Constant frequency, constant current load-resonant capacitor charging power supply p187
Current-forced neutral injection in a three-phase rectifier/converter p441
DC link current in PWM inverters with unbalanced and nonlinear loads p620
Deadbeat control method for single-phase UPS inverters with compensation of computation delay p123
Development of a photovoltaic array model for use in power-electronics simulation studies p193
Development of an improved switched reluctance motor drive using a soft-switching converter p488
Dynamic modelling and control of a step up/down switching-mode rectifier p317
Full-bridge soft switching PWM converter with saturable inductors at the secondary side p117
Fuzzy optimisation based control of a solar array system p552
H∞ loop-shaping control schemes for the buck converter and their evaluation using μ-analysis p237
Harmonic domain modelling of high-pulse converters p335
Heat conditions of a three-phase induction motor by a one-phase supply p361
Identification of the magnetising curve during commissioning of a rotor flux oriented induction machine p685
Integrating the digital time control algorithm with DC-bus "notching" circuit based soft-switched inverter p524
LLCC resonant inverter for piezoelectric ultrasonic motor drive p479
Low-harmonic three-phase rectifier applying current injection p545
Modular single-stage, three-phase full-bridge converter with inherent power factor correction and isolated output p407
Multilevel AC/DC/AC converter for AC drives p397
Near optimal approach in the design and implementation of multilevel voltage source inverters p661
Negative output Luo converters: voltage lift technique p208
New high-power low-distortion synchronous-link-converter VAr compensator p325
New random inverter control technique for common mode voltage mitigation of motor drives p289
Novel harmonic elimination PWM control strategies for three-phase PWM inverters using space vector techniques p495
Novel PFC converter suitable for engine-driven generator-interactive three-phase power systems p253
Novel single-stage, single-switch, AC/DC converter with magnetic energy feedback technique for power factor correction p111
Novel technique for maintaining balanced internal DC link voltages in diode clamped five-level inverters p341
Numerical simulation method for the slip power recovery system p17
Paralleling power converters for AC-DC step-down power conversion with inherent power factor correction p247
Positive output Luo converters: voltage lift technique p415
Power factor improvement using DCM Cuk converter with coupled inductor p231
PWM rectifier using indirect voltage sensing p539
Series and parallel transformer resonant DC-DC converter using optimal digital servo and repetitive learning control schemes p530
Single-phase buck rectifier employing voltage reversal circuit for sinusoidal input current waveshaping p707
Small-signal modelling of peak current-mode controlled buck-derived circuits p607
Soft switching converter with power limiting feature p95
Soft-switching inverter for electrodynamic shaker p515
SVM-based hysteresis current controller for three-phase PWM rectifier p225
Synchronised PWM strategies based on space vector approach. I. Principles of waveform generation p267
Synchronised PWM strategies based on space vector approach. II. Performance assessment and application to V/f drives p276
Three-level hysteresis band modulation strategy for single-phase PWM inverters p695
Three-phase buck active rectifier with power factor correction and low EMI p591
Three-phase PWM synchronous rectifiers without line-voltage sensors p632
Three-phase six-pulse buck rectifier with high quality input waveforms p637
Three-phase soft-switching voltage source converters for motor drives. I. Overview and analysis p147
Three-phase soft-switching voltage source converters for motor drives. II. Fundamental limitations and critical assessment p155

POWER ELECTRONICS

Automatic voltage regulator with fast dynamic speed p201
Comparisons of zero-voltage-transition Cuk converters p433
Development of a photovoltaic array model for use in power-electronics simulation studies p193
Series and parallel transformer resonant DC-DC converter using optimal digital servo and repetitive learning control schemes p530
Single-phase buck rectifier employing voltage reversal circuit for sinusoidal input current waveshaping p707
Three-phase soft-switching voltage source converters for motor drives. II. Fundamental limitations and critical assessment p155

POWER ENGINEERING COMPUTING

Adaptive control of a high-frequency DC-DC converter by parameter scheduling p447
DSP-based implementation of new random switching technique of inverter control for sensorless vector-controlled induction motor drives p163
Fuzzy optimisation based control of a solar array system p552
Numerical simulation method for the slip power recovery system p17
Reduced-order observers for rotor flux, rotor resistance and speed estimation for vector controlled induction motor drives using the extended Kalman filter technique p282
Robust position control of DC drives by means of H∞ controllers p391

POWER SYSTEM CONTROL

Adaptive control of a high-frequency DC-DC converter by parameter scheduling p447
Application of tabu search in optimal system design and operation of MRT power supply systems p75
Automatic voltage regulator with fast dynamic speed p201
Deadbeat control method for single-phase UPS inverters with compensation of computation delay p123
Design, analysis and control of a new repulsive-type magnetic bearing system p33
Determination of current waveforms for torque ripple minimisation in switched reluctance motors using iterative learning: an investigation p369
DSP-based implementation of new random switching technique of inverter control for sensorless vector-controlled induction motor drives p163
DSP-based minmax speed sensorless induction motor drive with sliding mode model-following speed controller p471
Dynamic modelling and control of a step up/down switching-mode rectifier p317
Feedback linearisation of magnetic bearing actuators for a uniform upper bound of force slew rate p378
Fuzzy neural network sliding-mode position controller for induction servo motor drive p297
Fuzzy optimisation based control of a solar array system p552
H∞ loop-shaping control schemes for the buck converter and their evaluation using μ-analysis p237
Identification of the magnetising curve during commissioning of a rotor flux oriented induction machine p685
Integrating the digital time control algorithm with DC-bus "notching" circuit based soft-switched inverter p524
New random inverter control technique for common mode voltage mitigation of motor drives p289
Novel PFC converter suitable for engine-driven generator-interactive three-phase power systems p253
Novel single-stage, single-switch, AC/DC converter with magnetic energy feedback technique for power factor correction p111
Novel technique for maintaining balanced internal DC link voltages in diode clamped five-level inverters p341
Optimal commutation in average torque control of switched reluctance motors p2
Reduced-order observers for rotor flux, rotor resistance and speed estimation for vector controlled induction motor drives using the extended Kalman filter technique p282
Robust position control of DC drives by means of H∞ controllers p391
Sensorless control via intelligent commutation tuning for brushless DC motor p678
Series and parallel transformer resonant DC-DC converter using optimal digital servo and repetitive learning control schemes p530
Single-phase buck rectifier employing voltage reversal circuit for sinusoidal input current waveshaping p707
Small-signal modelling of peak current-mode controlled buck-derived circuits p607
Stator flux oriented control of a cascaded doubly-fed induction machine p597
SVM-based hysteresis current controller for three-phase PWM rectifier p225
Theory, performance prediction and indirect sensing of rotor position of a switched reluctance motor under saturation p667
Three-level hysteresis band modulation strategy for single-phase PWM inverters p695
Three-phase buck active rectifier with power factor correction and low EMI p591
Three-phase PWM synchronous rectifiers without line-voltage sensors p632
Variable structure adaptive control for PM synchronous servo motor drive p173

POWER SYSTEM MANAGEMENT

Combined filtering system consisting of passive filter with capacitors in parallel with diodes and low-power inverter p88
New high-power low-distortion synchronous-link-converter VAr compensator p325

POWER SYSTEM PROTECTION

Analysis, design and experimental results for a passive current limiting device p309

POWER SYSTEMS AND PLANTS

Application of tabu search in optimal system design and operation of MRT power supply systems p75
Combined filtering system consisting of passive filter with capacitors in parallel with diodes and low-power inverter p88
Constant frequency, constant current load-resonant capacitor charging power supply p187
Development of a photovoltaic array model for use in power-electronics simulation studies p193
Digital method for power frequency measurement using synchronous sampling p383
Eddy-current losses in the segmented surface-mounted magnets of a PM machine p261
Fuzzy optimisation based control of a solar array system p552
Novel PFC converter suitable for engine-driven generator-interactive three-phase power systems p253
Novel technique for maintaining balanced internal DC link voltages in diode clamped five-level inverters p341

POWER TRANSMISSION AND DISTRIBUTION

Application of genetic algorithms to determine worst-case switching overvoltage of MRT systems p81
Combined filtering system consisting of passive filter with capacitors in parallel with diodes and low-power inverter p88
Electrical material data for railway track transmission line parameter studies p60
Electromagnetic field modelling for transmission line distributed parameters of railway track p53
Low-harmonic three-phase rectifier applying current injection p545
Novel harmonic elimination PWM control strategies for three-phase PWM inverters using space vector techniques p495
Novel PFC converter suitable for engine-driven generator-interactive three-phase power systems p253
Worst-case identification of touch voltage and stray current of DC railway system using genetic algorithm p570

RELIABILITY

Safety and reliability of comma-free digital coding for railway track circuits p350

SELF-ADJUSTING SYSTEMS

Adaptive control of a high-frequency DC-DC converter by parameter scheduling p447
Determination of current waveforms for torque ripple minimisation in switched reluctance motors using iterative learning: an investigation p369
DSP-based minmax speed sensorless induction motor drive with sliding mode model-following speed controller p471
Sensorless control via intelligent commutation tuning for brushless DC motor p678
Three-level hysteresis band modulation strategy for single-phase PWM inverters p695
Variable structure adaptive control for PM synchronous servo motor drive p173

SEMICONDUCTOR DEVICE MODELLING

Development of a photovoltaic array model for use in power-electronics simulation studies p193

SEMICONDUCTOR DEVICES

Series and parallel transformer resonant DC-DC converter using optimal digital servo and repetitive learning control schemes p530
Single-phase buck rectifier employing voltage reversal circuit for sinusoidal input current waveshaping p707

SENSORS AND ACTUATORS

Contactless linear position transducer based on reluctance variation p585
Feedback linearisation of magnetic bearing actuators for a uniform upper bound of force slew rate p378

SIGNAL PROCESSING

Digital method for power frequency measurement using synchronous sampling p383
Three-phase six-pulse buck rectifier with high quality input waveforms p637

SIMULATION, MODELLING AND IDENTIFICATION

DSP-based minmax speed sensorless induction motor drive with sliding mode model-following speed controller p471
Identification of the magnetising curve during commissioning of a rotor flux oriented induction machine p685
Reduced-order observers for rotor flux, rotor resistance and speed estimation for vector controlled induction motor drives using the extended Kalman filter technique p282
Sensorless control via intelligent commutation tuning for brushless DC motor p678
Theory, performance prediction and indirect sensing of rotor position of a switched reluctance motor under saturation p667

STATISTICAL ANALYSIS

Pareto-optimal set based multiobjective tuning of fuzzy automatic train operation for mass transit system p577

SUPERCONDUCTING MATERIALS AND DEVICES

Prospects for large high-temperature superconducting power transformers: conclusions from a design study p41

SYNCHRONOUS MACHINES

Computation and measurement of magnetically induced vibrations of a switched reluctance machine p463
Determination of current waveforms for torque ripple minimisation in switched reluctance motors using iterative learning: an investigation p369
Development of an improved switched reluctance motor drive using a soft-switching converter p488
Force and torque computation from 2-D and 3-D finite element field solutions p25
Optimal commutation in average torque control of switched reluctance motors p2
Theory, performance prediction and indirect sensing of rotor position of a switched reluctance motor under saturation p667
Variable structure adaptive control for PM synchronous servo motor drive p173

TELEMETRY

Safety and reliability of comma-free digital coding for railway track circuits p350

TRANSFORMERS

Current-forced neutral injection in a three-phase rectifier/converter p441
Force and torque computation from 2-D and 3-D finite element field solutions p25
Harmonic domain modelling of high-pulse converters p335
Power factor improvement using DCM Cuk converter with coupled inductor p231
Prospects for large high-temperature superconducting power transformers: conclusions from a design study p41
Series and parallel transformer resonant DC-DC converter using optimal digital servo and repetitive learning control schemes p530

TRANSMISSION LINE THEORY

Railway track transmission line parameters from finite element field modelling: series impedance p647

TRANSPORTATION

Application of genetic algorithms to determine worst-case switching overvoltage of MRT systems p81
Application of tabu search in optimal system design and operation of MRT power supply systems p75
Eddy-current losses in the segmented surface-mounted magnets of a PM machine p261
Electrical material data for railway track transmission line parameter studies p60
Electromagnetic field modelling for transmission line distributed parameters of railway track p53
Further improvement of optimisation method for mass transit signalling block-layout design using differential evolution p559
Jointless track circuit length [for electric railway signalling] p69
Pareto-optimal set based multiobjective tuning of fuzzy automatic train operation for mass transit system p577
Railway track transmission line parameters from finite element field modelling: series impedance p647
Safety and reliability of comma-free digital coding for railway track circuits p350
Worst-case identification of touch voltage and stray current of DC railway system using genetic algorithm p570